


What is claimed is:

1. A process comprising topically applying to wrinkled skin a composition comprising, in a physiologically acceptable medium, at least one
5 compound of formula (I):



in which:

- 10 R_1 denotes a hydrogen atom or a linear or branched, saturated or unsaturated C_1 - C_8 alkyl group,
 R_2 denotes:
a linear, branched or cyclic, saturated or
unsaturated C_1 - C_{20} alkyl group, optionally
15 substituted with an $=O$ group, and/or with one
or more of $-CN$, $-OR$, $-SR$, $-NRR'$, $-COR$, $-COOR$,
 $-CONRR'$, $-NR-CO-R'$, $-NR-CO-NR'R''$ or $-CF_3$
groups and/or with one or more halogen atoms
and/or with a phenyl group optionally
20 substituted with a C_1 - C_4 alkyl group, a C_1 - C_4
alkoxy group, a hydroxyl group, a halogen
atom and/or a CF_3 group,

an aryl group optionally substituted with at least one of a C₁-C₄ alkyl group, a C₁-C₄ alkoxy group, a hydroxyl group, a halogen atom or a CF₃ group, or
 5 a heterocycle,
 in which R, R' and R'' independently denote a hydrogen atom or a linear or branched C₁-C₄ alkyl group, or an aryl group,
 R₃ denotes a linear, branched or cyclic, saturated or
 10 unsaturated C₁-C₁₂ alkyl group, or an aryl group,
 optionally substituted with a hydroxyl group, a C₁-C₄ alkoxy group or a hydrogen atom, a -CN, -OR, -SR,
 -NRR', -COR, -COOR, -CONRR', -NR-CO-R', -NR-CO-NR'R'' or
 -CF₃ group or a halogen atom,
 15 in which R, R' and R'' have the meaning given
 above,
 X is a saturated or unsaturated, optionally substituted
 linear C₁-C₉ alkylene group,
 Y is a saturated or unsaturated, optionally substituted
 20 linear C₁-C₁₀ alkylene group,
 the substituents of X and Y being chosen
 independently from -OR, -SR, -NRR', -COR, -COOR,
 -CO-NRR', -NR-CO-R'R'', CF₃ groups and mixtures
 thereof,
 25 in which R, R' and R'' have the meaning given
 above,


m is 0 or 1,

n is 0, 1, 2 or 3,

and the addition salts thereof with an acid.

2. The process according to Claim 1,
5 wherein said composition comprises an addition salt of a compound of formula (I) obtained by addition with a mineral acid selected from the group consisting of hydrochloric acid, sulphuric acid, nitric acid and phosphoric acid.
- 10 3. The process according to Claim 1, wherein said composition comprises an addition salt of a compound of formula (I) obtained by addition with an organic acid elected from the group consisting of succinic acid, fumaric acid, lactic acid, glycolic
15 acid, citric acid and tartaric acid.
4. The process according to Claim 1, wherein $m = 0$.
5. The process according to Claim 1, wherein $n = 0$.
- 20 6. The process according to Claim 1, wherein Y is a linear C_1-C_3 alkylene group.
7. The process according to Claim 1, wherein R_1 is a C_1-C_3 alkyl group.
8. The process according to Claim 1,
25 wherein R_2 is a C_1-C_3 alkyl group substituted with an arylcarbonyl group.

9. The process according to Claim 1, wherein said composition comprises the following compound of Formula (Ia):



5

10. The process according to Claim 1, wherein the compound of formula (I) represents from 0.1% to 2% of the total weight of the composition.

10 11. The process according to Claim 1, wherein said composition further comprises at least one compound selected from the group consisting of desquamating agents; moisturizers; depigmenting agents; propigmenting agents; antiglycation agents; NO-synthase
15 inhibitors; agents for stimulating the synthesis of dermal or epidermal macromolecules and/or for preventing their degradation; agents for stimulating the proliferation of fibroblasts and/or keratinocytes or for stimulating the differentiation of
20 keratinocytes; dermo-decontracting agents; tensioning agents; antipollution agents and/or free-radical scavengers; agents acting on the capillary circulation; agents acting on the energy metabolism of cells; and mixtures thereof.


12. The process according to Claim 1,
wherein said composition is applied to the areas of the
face or forehead marked with expression wrinkles and
fine lines.

5 13. The process according to Claim 1,
wehreïn said composition is applied to wrinkles and
fine lines lying radially around the mouth and/or the
eyes and/or horizontally on the forehead and/or lying
between the eyebrows.

10 14. The process according to Claim 1,
wherein said process smoothes out wrinkles and fine
lines.

15 15. The process according to Claim 14,
wherein said wrinkles and fine lines are expression
wrinkles and fine lines.

16. A compound of formula (II):





(II)


20 in which:

R₁ is a hydrogen atom or a methyl or ethyl group,
R₂ is a linear or branched C₆-C₂₀ alkyl radical which may
be substituted with an oxo group or a hydroxyl group,
and the acid addition salts thereof.


17. A compound according to Claim 16, having one of the formulae (IIa) to (IIe) below:




HQ



(IIc)




(IId)



(IIe)

18. A compound corresponding to
formula (III):


5



in which:


R_1 denotes a hydrogen atom or a methyl group,
W denotes a linear C_1 - C_5 alkylene chain, which may be
substituted with an oxo group or a hydroxyl group,
 R_4 denotes a hydrogen atom or a methyl group, said
5 compound of formula (III) not comprising an amide
function,
and the acid addition salts thereof.

19. A compound according to Claim 18,
corresponding to one of formulae (IIIa) and (IIIb)
10 below:



(IIIa)

HQ



(IIIb)

20. A composition comprising, in a physiologically acceptable medium, a compound according to Claim 16.

21. A composition comprising, in a
5 physiologically acceptable medium, a compound according to Claim 17.

22. A composition comprising, in a physiologically acceptable medium, a compound according to Claim 18.

10 23. A composition comprising, in a physiologically acceptable medium, a compound according to Claim 19.

15

20

25